Hearing Research, 46 (1990) 303–304
Elsevier

Author Index

Arima, T., Lim, D.J., Kawaguchi, H., Shibata, Y. and Uemura, T.
An ultrastructural study of the guinea pig tectorial membrane 'type A' protofibril (46) 289

Bobbin, R.P., Ceasar, G. and Fallon, M.
Potassium induced release of GABA and other substances from the guinea pig cochlea (46) 83
Bobbin, R.P., Jastreboff, P.J., Fallon, M. and Littman, T.
Nimodipine, an L-channel Ca^{2+} antagonist, reverses the negative summating potential recorded from the guinea pig cochlea (46) 277
Brownell, W.E., see Salzer, S.J. (46) 101

Cazals, Y., see Didier, A. (46) 171
Ceasar, G., see Bobbin, R.P. (46) 83
Cotanche, D.A. and Dopyera, C.E.J.
Hair cell and supporting cell response to acoustic trauma in the chick cochlea (46) 29

Decory, L., see Didier, A. (46) 171
Demêmes, D., Wenthold, R.J., Moniot, B. and Sans, A.
Glutamate-like immunoreactivity in the peripheral vestibular system of mammals (46) 261
Didier, A., Decory, L. and Cazals, Y.
Evidence for potassium-induced motility in type I vestibular hair cells in the guinea pig (46) 171
Dooling, R.J., see Okanoya, K. (46) 271
Dopyera, C.E.J., see Cotanche, D.A. (46) 29
Downing, J.D., see Okanoya, K. (46) 271
Durham, D., see Richardson, B.E. (46) 53

Fallon, M., see Bobbin, R.P. (46) 277
Fallon, M., see Bobbin, R.P. (46) 83
Fastl, H.
The hearing sensation roughness and neuronal responses to AM-tones (46) 293

Grenner, J., Nilsson, P.O.L., Sheppard, H. and Katbamna, B.
Noise-induced threshold elevation as a function of peak sound pressure level (46) 161

Heffner, H.E., see Heffner, R.S. (46) 239
Heffner, R.S. and Heffner, H.E.
Vestigial hearing in a fossorial mammal, the pocket gopher, (*Geomys bursarius*) (46) 239

Jastreboff, P.J., see Bobbin, R.P. (46) 277
Johnson, D.H., see Teich, M.C. (46) 41

Katbamna, B., see Grenner, J. (46) 161
Kawaguchi, H., see Arima, T. (46) 289
Kulish, L.F., see Mills, J.H. (46) 201
Kumar, A.R., see Teich, M.C. (46) 41

Lim, D.J., see Arima, T. (46) 289
Littman, T., see Bobbin, R.P. (46) 277

Marsh, R.R., Xu, L., Moy, J.P. and Saunders, J.C.
Recovery of the basilar papilla following intense sound exposure in the chick (46) 229
Masetto, S., see Prigioni, I. (46) 253
Mattox, D.E., see Salzer, S.J. (46) 101
Melichar, I., see Schrott, A. (46) 1
Mills, J.H., Schmiedt, R.A. and Kulish, L.F.
Age-related changes in auditory potentials of Mongolian gerbil (46) 201
Moniot, B., see Demêmes, D. (46) 261
Moy, J.P., see Marsh, R.R. (46) 229

Narins, P.M., see Stiebler, I.B. (46) 63
Nilsson, P.O.L., see Grenner, J. (46) 161

Okanoya, K., Dooling, R.J. and Downing, J.D.
Hearing and vocalizations in hybrid Waterslager-Roller canaries (*Serinus canarius*) (46) 271

Popelár, J., see Schrott, A. (46) 1
Popper, A.N. and Saidel, W.M.
Variations in receptor cell innervation in the saccule of a teleost fish ear (46) 211
Popper, A.N., see Presson, J.C. (46) 23
Popper, A.N., see Presson, J.C. (46) 9
Presson, J.C. and Popper, A.N.
A ganglionic source of new eighth nerve neurons in a post-embryonic fish (46) 23
Presson, J.C. and Popper, A.N.
Possible precursors to new hair cells, support cells, and Schwann cells in the ear of a post-embryonic fish (46) 9
Prigioni, I., Russo, G., Valli, P. and Masetto, S.
Pre- and postsynaptic excitatory action of glutamate agonists on frog vestibular receptors (46) 253
Prijs, V.F., see Versnel, H. (46) 147

0378-5955/90/$03.50 © 1990 Elsevier Science Publishers B.V. (Biomedical Division)

Richardson, B.E. and Durham, D.
Blood flow changes in chicken brain stem auditory nuclei following cochlea removal (46) 53
Russo, G., see Prigioni, I. (46) 253
Rybak, L.P., Whitworth, C. and Scott, V.
Organic acids do not alter the cochlear effects of ethacrynic acid (46) 95

Saidel, W.M., see Popper, A.N. (46) 211
Salvi, R.J., see Zhang, W. (46) 181
Salzer, S.J., Mattox, D.E. and Brownell, W.E.
Cochlear damage and increased threshold in alpha-difluoromethylornithine (DFMO) treated guinea pigs (46) 101
Sans, A., see Demêmes, D. (46) 261
Saunders, J.C., see Marsh, R.R. (46) 229
Saunders, S.S., see Zhang, W. (46) 181
Schmiedt, R.A., see Mills, J.H. (46) 201
Schoonhoven, R., see Versnel, H. (46) 147
Schrott, A., Melichar, I., Popelár, J. and Syka, J.
Deterioration of hearing function in mice with neural crest defect (46) 1
Scott, V., see Rybak, L.P. (46) 95
Sheppard, H., see Grenner, J. (46) 161
Shibata, Y., see Arima, T. (46) 289
Stiebler, I.B. and Narins, P.M.
Temperature-dependence of auditory nerve response properties in the frog (46) 63
Stypulkowski, P.H.
Mechanisms of salicylate ototoxicity (46) 113
Syka, J., see Schrott, A. (46) 1

Teich, M.C., Johnson, D.H., Kumar, A.R. and Turcott, R.G.
Rate fluctuations and fractional power-law noise recorded from cells in the lower auditory pathway of the cat (46) 41
Turcott, R.G., see Teich, M.C. (46) 41

Uemura, T., see Arima, T. (46) 289

Valli, P., see Prigioni, I. (46) 253
Versnel, H., Prijs, V.F. and Schoonhoven, R.
Single-fibre responses to clicks in relationship to the compound action potential in the guinea pig (46) 147

Wenthold, R.J., see Demêmes, D. (46) 261
Whitworth, C., see Rybak, L.P. (46) 95

Xu, L., see Marsh, R.R. (46) 229

Zhang, W., Salvi, R.J. and Saunders. S.S.
Neural correlates of gap detection in auditory nerve fibers of the chinchilla (46) 181

Hearing Research, 46 (1990) 305–308
Elsevier

Subject Index

Absolute auditory sensitivity
Bird hearing; Vocalizations; Genetics of hearing; Canary (Okanoya, K. (46) 271)

Acoustic trauma
Hair cell; Supporting cell; Noise damage; Cochlea; Chick (Cotanche, D.A. (46) 29)

Equal energy hypothesis; N_1 threshold; Guinea pig (Grenner, J. (46) 161)

Hair cell; Cochlea; Basilar papilla; Hair cell regeneration (Marsh, R.R. (46) 229)

Afferent
Fish; Efferent; Synaptic ratio; Innervation; Saccule; Hair cell (Popper, A.N. (46) 211)

Aging
Presbyacusis; Hearing loss; Evoked potential (Mills, J.H. (46) 201)

Alpha-difluoromethylornithine
DFMO; Polyamine; Cochlea; Hearing loss (Salzer, S.J. (46) 101)

Amino acids
Gamma aminobutyric acid; Cochlea; Neurotransmitter (Bobbin, R.P. (46) 83)

AM-tones
Roughness; MTF; Hearing sensation (Fastl, H. (46) 293)

Anura
Auditory system; Temperature effects; Tuning curves; Phase locking (Stiebler, I.B. (46) 63)

Audiogram
Sound localization; Evolution; Comparative (Heffner, R.S. (46) 239)

Auditory nerve
Rate function; Pulse-number distribution; Fractal neural events; Lateral superior olive (Teich, M.C. (46) 41)

Gap detection; Temporal resolution; Chinchilla; Tuning curve; Cochlea (Zhang, W. (46) 181)

Auditory system
Anura; Temperature effects; Tuning curves; Phase locking (Stiebler, I.B. (46) 63)

Basilar papilla
Hair cell; Cochlea; Hair cell regeneration; Acoustic trauma (Marsh, R.R. (46) 229)

Bird hearing
Absolute auditory sensitivity; Vocalizations; Genetics of hearing; Canary (Okanoya, K. (46) 271)

L-type Ca^{2+} channel
Cochlear potentials; Cochlear partition; Slow motion; Hair cells, outer; Rectification (Bobbin, R.P. (46) 277)

Canary
Bird hearing; Absolute auditory sensitivity; Vocalizations; Genetics of hearing (Okanoya, K. (46) 271)

Cat
Glutamate; Immunocytochemistry; Mouse; Rat; Vestibule (Demêmes, D. (46) 261)

Characteristic frequency
Poststimulus time histogram; Click; Spontaneous rate; Compound action potential; Guinea pig (Versnel, H. (46) 147)

Chick
Hair cell; Supporting cell; Acoustic trauma; Noise damage; Cochlea (Cotanche, D.A. (46) 29)

Chinchilla
Auditory nerve; Gap detection; Temporal resolution; Tuning curve; Cochlea (Zhang, W. (46) 181)

Click
Poststimulus time histogram; Characteristic frequency; Spontaneous rate; Compound action potential; Guinea pig (Versnel, H. (46) 147)

Cluster cells
Precursor cells; Statoacoustic system; Development; Neuroepithelial cells; Eighth nerve ganglion (Presson, J.C. (46) 23)

0378-5955/90/$03.50 © 1990 Elsevier Science Publishers B.V. (Biomedical Division)

Cochlea
Hair cell; Supporting cell; Acoustic trauma; Noise damage; Chick (Cotanche, D.A. (46) 29)

Gamma aminobutyric acid; Amino acids; Neurotransmitter (Bobbin, R.P. (46) 83)

Alpha-difluoromethylornithine; DFMO; Polyamine; Hearing loss (Salzer, S.J. (46) 101)

Auditory nerve; Gap detection; Temporal resolution; Chinchilla; Tuning curve (Zhang, W. (46) 181)

Hair cell; Basilar papilla; Hair cell regeneration; Acoustic trauma (Marsh, R.R. (46) 229)

Cochlear partition
Cochlear potentials; L-type Ca^{2+} channel; Slow motion; Hair cells, outer; Rectification (Bobbin, R.P. (46) 277)

Cochlear potentials
L-type Ca^{2+} channel; Cochlear partition; Slow motion; Hair cells, outer; Rectification (Bobbin, R.P. (46) 277)

Collagen, type II
Tectorial membrane; Ear, inner (Arima, T. (46) 289)

Comparative
Audiogram: Sound localization; Evolution (Heffner, R.S. (46) 239)

Compound action potential
Ototoxicity; Loop diuretics; Endocochlear potential (Rybak, L.P. (46) 95)

Poststimulus time histogram; Click; Characteristic frequency; Spontaneous rate; Guinea pig (Versnel, H. (46) 147)

Deafferentation
Nucleus laminaris; Nucleus magnocellularis; Iodoantipyrine (Richardson, B.E. (46) 53)

Development
Precursor cells; Statoacoustic system; Cluster cells; Neuroepithelial cells; Eighth nerve ganglion (Presson, J.C. (46) 23)

DFMO
Alpha-difluoromethylornithine; Polyamine; Cochlea; Hearing loss (Salzer, S.J. (46) 101)

Ear, inner
Tectorial membrane; Collagen, type II (Arima, T. (46) 289)

Efferent
Fish; Afferent; Synaptic ratio; Innervation; Saccule; Hair cell (Popper, A.N. (46) 211)

Eighth nerve ganglion
Precursor cells; Statoacoustic system; Development; Cluster cells; Neuroepithelial cells (Presson, J.C. (46) 23)

Electrical stimulation
Isolated hair cells; Vestibular cells, type I; Potassium; Guinea pig (Didier, A. (46) 171)

Endocochlear potential
Ototoxicity; Loop diuretics; Compound action potential (Rybak, L.P. (46) 95)

Equal energy hypothesis
Acoustic trauma; N_1 threshold; Guinea pig (Grenner, J. (46) 161)

Evoked potential
Presbyacusis; Aging; Hearing loss (Mills, J.H. (46) 201)

Evolution
Audiogram: Sound localization; Comparative (Heffner, R.S. (46) 239)

Excitatory amino acids
Isolated frog labyrinth; Semicircular canal; Pre- and postsynaptic receptors (Prigioni, I. (46) 253)

Fish
Afferent; Efferent; Synaptic ratio; Innervation; Saccule; Hair cell (Popper, A.N. (46) 211)

Fractal neural events
Rate function; Pulse-number distribution; Auditory nerve; Lateral superior olive (Teich, M.C. (46) 41)

Gamma aminobutyric acid
Amino acids; Cochlea; Neurotransmitter (Bobbin, R.P. (46) 83)

Gap detection
Auditory nerve; Temporal resolution; Chinchilla; Tuning curve; Cochlea (Zhang, W. (46) 181)

Genetics of hearing
Bird hearing; Absolute auditory sensitivity; Vocalizations; Canary (Okanoya, K. (46) 271)

Glutamate
Immunocytochemistry; Mouse; Rat; Cat; Vestibule (Demêmes, D. (46) 261)

Guinea pig
Poststimulus time histogram; Click; Characteristic frequency; Spontaneous rate; Compound action potential (Versnel, H. (46) 147)

Acoustic trauma; Equal energy hypothesis; N_1 threshold (Grenner, J. (46) 161)

Isolated hair cells; Vestibular cells, type I; Potassium; Electrical stimulation (Didier, A. (46) 171)

Hair cell
Supporting cell; Acoustic trauma; Noise damage; Cochlea; Chick (Cotanche, D.A. (46) 29)

Fish; Afferent; Efferent; Synaptic ratio; Innervation; Saccule (Popper, A.N. (46) 211)

Cochlea; Basilar papilla; Hair cell regeneration; Acoustic trauma (Marsh, R.R. (46) 229)

Hair cell regeneration
Hair cell; Cochlea; Basilar papilla; Acoustic trauma (Marsh, R.R. (46) 229)

Hair cells, outer
Cochlear potentials; L-type Ca^{2+} channel; Cochlear partition; Slow motion; Rectification (Bobbin, R.P. (46) 277)

Hearing function
Mutant mice; Stria vascularis (Schrott, A. (46) 1)

Hearing loss
Alpha-difluoromethylornithine; DFMO; Polyamine; Cochlea (Salzer, S.J. (46) 101)

Salicylate; Ototoxicity; Tinnitus (Stypulkowski, P.H. (46) 113)

Presbyacusis; Aging; Evoked potential (Mills, J.H. (46) 201)

Hearing sensation
Roughness; MTF; AM-tones (Fastl, H. (46) 293)

Immunocytochemistry
Glutamate; Mouse; Rat; Cat; Vestibule (Demêmes, D. (46) 261)

Innervation
Fish; Afferent; Efferent; Synaptic ratio; Saccule; Hair cell (Popper, A.N. (46) 211)

Iodoantipyrine
Deafferentation; Nucleus laminaris; Nucleus magnocellularis (Richardson, B.E. (46) 53)

Isolated frog labyrinth
Semicircular canal; Excitatory amino acids; Pre- and postsynaptic receptors (Prigioni, I. (46) 253)

Isolated hair cells
Vestibular cells, type I; Potassium; Electrical stimulation; Guinea pig (Didier, A. (46) 171)

Lateral superior olive
Rate function; Pulse-number distribution; Fractal neural events; Auditory nerve (Teich, M.C. (46) 41)

Loop diuretics
Ototoxicity; Endocochlear potential; Compound action potential (Rybak, L.P. (46) 95)

Mouse
Glutamate; Immunocytochemistry; Rat; Cat; Vestibule (Demêmes, D. (46) 261)

MTF
Roughness; AM-tones; Hearing sensation (Fastl, H. (46) 293)

Mutant mice
Hearing function; Stria vascularis (Schrott, A. (46) 1)

Neural crest
Neuroepithelial precursor cells; Statoacoustic system; Post-embryonic development; Saccule (Presson, J.C. (46) 9)

Neuroepithelial cells
Precursor cells; Statoacoustic system; Development; Cluster cells; Eighth nerve ganglion (Presson, J.C. (46) 23)

Neuroepithelial precursor cells
Statoacoustic system; Post-embryonic development; Saccule; Neural crest (Presson, J.C. (46) 9)

Neurotransmitter
Gamma aminobutyric acid; Amino acids; Cochlea (Bobbin, R.P. (46) 83)

Noise damage
Hair cell; Supporting cell; Acoustic trauma; Cochlea; Chick (Cotanche, D.A. (46) 29)

N_1 threshold
Acoustic trauma; Equal energy hypothesis; Guinea pig (Grenner, J. (46) 161)

Nucleus laminaris
Deafferentation; Nucleus magnocellularis; Iodoantipyrine (Richardson, B.E. (46) 53)

Nucleus magnocellularis
Deafferentation; Nucleus laminaris; Iodoantipyrine (Richardson, B.E. (46) 53)

Ototoxicity
Loop diuretics; Endocochlear potential; Compound action potential (Rybak, L.P. (46) 95)

Salicylate; Hearing loss; Tinnitus (Stypulkowski, P.H. (46) 113)

Phase locking
Anura; Auditory system; Temperature effects; Tuning curves (Stiebler, I.B. (46) 63)

Polyamine
Alpha-difluoromethylornithine; DFMO; Cochlea; Hearing loss (Salzer, S.J. (46) 101)

Post-embryonic development
Neuroepithelial precursor cells; Statoacoustic system; Saccule; Neural crest (Presson, J.C. (46) 9)

Poststimulus time histogram
Click; Characteristic frequency; Spontaneous rate; Compound action potential; Guinea pig (Versnel, H. (46) 147)

Potassium
Isolated hair cells; Vestibular cells, type I; Electrical stimulation; Guinea pig (Didier, A. (46) 171)

Pre- and postsynaptic receptors
Isolated frog labyrinth; Semicircular canal; Excitatory amino acids (Prigioni, I. (46) 253)

Precursor cells
Statoacoustic system; Development; Cluster cells; Neuroepithelial cells; Eighth nerve ganglion (Presson, J.C. (46) 23)

Presbyacusis
Aging; Hearing loss; Evoked potential (Mills, J.H. (46) 201)

Pulse-number distribution
Rate function; Fractal neural events; Auditory nerve; Lateral superior olive (Teich, M.C. (46) 41)

Rat
Glutamate; Immunocytochemistry; Mouse; Cat; Vestibule (Demêmes, D. (46) 261)

Rate function
Pulse-number distribution; Fractal neural events; Auditory nerve; Lateral superior olive (Teich, M.C. (46) 41)

Rectification
Cochlear potentials; L-type Ca^{2+} channel; Cochlear partition; Slow motion; Hair cells, outer (Bobbin, R.P. (46) 277)

Roughness
MTF; AM-tones; Hearing sensation (Fastl, H. (46) 293)

Saccule
Neuroepithelial precursor cells; Statoacoustic system; Post-embryonic development; Neural crest (Presson, J.C. (46) 9)

Fish; Afferent; Efferent; Synaptic ratio; Innervation; Hair cell (Popper, A.N. (46) 211)

Salicylate
Ototoxicity; Hearing loss; Tinnitus (Stypulkowski, P.H. (46) 113)

Semicircular canal
Isolated frog labyrinth; Excitatory amino acids; Pre- and postsynaptic receptors (Prigioni, I. (46) 253)

Slow motion
Cochlear potentials; L-type Ca^{2+} channel; Cochlear partition; Hair cells, outer; Rectification (Bobbin, R.P. (46) 277)

Sound localization
Audiogram; Evolution; Comparative (Heffner, R.S. (46) 239)

Spontaneous rate
Poststimulus time histogram; Click; Characteristic frequency; Compound action potential; Guinea pig (Versnel, H. (46) 147)

Statoacoustic system
Neuroepithelial precursor cells; Post-embryonic development; Saccule; Neural crest (Presson, J.C. (46) 9)

Precursor cells; Development; Cluster cells; Neuroepithelial cells; Eighth nerve ganglion (Presson, J.C. (46) 23)

Stria vascularis
Mutant mice; Hearing function (Schrott, A. (46) 1)

Supporting cell
Hair cell; Acoustic trauma; Noise damage; Cochlea; Chick (Cotanche, D.A. (46) 29)

Synaptic ratio
Fish; Afferent; Efferent; Innervation; Saccule; Hair cell (Popper, A.N. (46) 211)

Tectorial membrane
Collagen, type II; Ear, inner (Arima, T. (46) 289)

Temperature effects
Anura; Auditory system; Tuning curves; Phase locking (Stiebler, I.B. (46) 63)

Temporal resolution
Auditory nerve; Gap detection; Chinchilla; Tuning curve; Cochlea (Zhang, W. (46) 181)

Tinnitus
Salicylate; Ototoxicity; Hearing loss (Stypulkowski, P.H. (46) 113)

Tuning curve
Anura; Auditory system; Temperature effects; Phase locking (Stiebler, I.B. (46) 63)

Auditory nerve; Gap detection; Temporal resolution; Chinchilla; Cochlea (Zhang, W. (46) 181)

Vestibular cells, type I
Isolated hair cells; Potassium; Electrical stimulation; Guinea pig (Didier, A. (46) 171)

Vestibule
Glutamate; Immunocytochemistry; Mouse; Rat; Cat (Demêmes, D. (46) 261)

Vocalizations
Bird hearing; Absolute auditory sensitivity; Genetics of hearing; Canary (Okanoya, K. (46) 271)